

Hyundai Kona Electric	Standard-range	Long-range
Battery		
Type	Lithium-ion Polymer	Lithium-ion Polymer
Capacity (kWh)	39.2	64
Voltage [V]	327	356
Electric motor		
Type	Permanent Magnet Synchronous Motor	Permanent Magnet Synchronous Motor
Maximum power	136 PS / 100 kW	204 PS / 150 kW
Maximum torque [Nm]	395	395
0-100 km/h [s]	9.9	7.9
Top speed [km/h]	155	167
Efficiency (kWh/100 km)	14.3	14.7
CO2 combined (g/km)	0	0
All-electric range (WLTP) [km]	305	484
On-board charger		
Max. capacity (kW) (standard)	7.2 (1-phase)	
Max. capacity (kW) (optional)	10.5 (3-phase)	
Charging time		
Charge time / quick charge (DC) 10-80% - 50 kW (connected to a 50 kW DC fast charger)	48min	64min
Charge time / quick charge (DC) 10-80% - 100 kW (connected to a 100 kW DC fast charger)	47min	47min
Charge time / standard (AC) 10-100% - 7.2 kW	6h	9h 15min
Charge time / standard (AC) 10-100% - 10.5 kW	4h 20min	6h 50min
Charge time / ICCB charging 10-100% (220V/12A)	17h	28h
Dimensions exterior		
Overall length [mm]	4,205	
Overall width [mm]	1,800	
Overall height [mm] without/ with roof rack	1,555/ 1,570	
Wheelbase [mm]	2,600	
Front overhang/ rear overhang [mm]	875/ 730	
Ground clearance [mm]	158	

Dimensions interior	
Head room front/rear [mm] (with sunroof)	965/ 957
Leg room front/rear [mm]	1,054/ 848
Shoulder room front/rear [mm]	1,410/ 1,385
Luggage capacity VDA [l] - seats up	332
Luggage capacity VDA [l] - seats folded	1,114

Transmission	
Automatic	Single Speed Reduction Gear

Chassis		
Front suspension	McPherson Strut Type	
Rear suspension	Multi Link Type (Dual Lower Arm)	
Steering type	Rack & Pinion/ MDPS	Rack & Pinion/ C-MDPS (BLAC)
Brake system	16" ventilated FR / 16" solid RR	
Wheels	7.0J x 17 Alloy Wheel	
Tyres	215/55R17	

Notes
Technical specifications listed in this document are tentative and may vary depending on region and trim.